



ASBESTOS WASTE POLICY

1. Prior to the scheduling of the disposal of asbestos or asbestos containing waste at the Solid Waste Complex, the generator must obtain and complete the necessary forms as listed below:
 - a. Notification of Asbestos Abatement (Form A-1): The original of this is returned by the generator to the Solid Waste Complex
 - b. Request for Disposal (Form A-2): The original of this form is returned by the generator to the Solid Waste Complex. This form identifies the hauler of the asbestos or asbestos containing waste (commercial or private)
 - c. Waste Origin and Destination (Form A-3): Completed by the hauler and presented at the scale house upon delivery of the asbestos or asbestos containing waste for disposal.
2. The Solid Waste Enforcement Officer may determine that at the point of generation, an inspection of the asbestos or asbestos containing waste is required.
3. After documentation is received and the point of generation inspection has been performed (if necessary) the Facility Manager (or his designee) will schedule the asbestos or asbestos containing waste for disposal.
4. The generator must demonstrate that:
 - a. All asbestos or asbestos containing waste shall have been mixed or coated with water or an aqueous solution immediately prior to being sealed in leak-tight containers (such as 6mil plastic bags). ****Red containers or red bags will not be permitted.****
 - b. All waste to be disposed of are double bagged and taped closed. ****Red bags are not permitted.****
 - c. Bags are labeled in a clear and visible manner with a warning label that states:

CAUTION

CONTAINS ASBESTOS

AVOID OPENING OR BREATHING CONTAINER

BREATHING ASBESTOS IS HAZARDOUS TO YOUR HEALTH

- d. Oversized material that cannot be bagged must be wrapped and sealed in plastic sheeting and have an asbestos warning label attached to the outer surface of the package.
5. Before transporting, the exterior of the containers are to be free of all loose asbestos. Furthermore, the bags are not to be opened and are to be handled and shipped in a manner to prevent damage or rupture to the bags.
6. Temporary roll off cans may be used if permanent containers (bags) are sealed and do not rupture during loading, transport, unloading and burying operations. These containers must be properly covered for transport to the Solid Waste Complex.
7. Other than a homeowner performing asbestos abatement at their own residence and hauling material in their own vehicle, a registered solid waste hauler shall be used to transport asbestos or asbestos containing waste. The homeowner exemption will require the transfer of the material from the homeowner's vehicle to an operations vehicle at a secure area of the Solid Waste Complex due to restricted access at the working face of the landfill by unregistered (NJDEP) vehicles.
8. The scale transition ticket/receipt shall serve as a "Certificate of Acceptance" by the Solid Waste Complex.
9. All deliveries of asbestos or asbestos containing waste are subject to inspection prior to acceptance at the Solid Waste Complex.