

SOIL CLEANUP CRITERIA (mg/kg)
(LAST REVISED - 5/12/99)

This listing represents the combination of Tables 3-2 and 7-1 from the Department of Environmental Protection and Energy's February 3, 1992 proposed rule entitled Cleanup Standards for Contaminated Sites, N.J.A.C. 7:26D, as corrected based upon errors identified by the Department during or subsequent to the comment period as well as new toxicological or other information obtained since the rule proposal. Please refer to the respective footnotes for more detail. Notwithstanding, where the following criteria are based on human health impacts, the Department shall still consider environmental impacts when establishing site specific cleanup criteria. This along with other site-specific factors including background conditions may result in site specific cleanup criteria which differ from the criteria listed below. Therefore, this list shall not be assumed to represent approval by the Department of any remedial action or to represent the Department's opinion that a site requires remediation.

Note: Material bracketed **[thus]** is deleted and material underlined **thus** is added

Contaminant	CASRN	Residential Direct Contact Soil Cleanup Criteria (a) (b)	Non- Residential Direct Contact Soil Cleanup Criteria (a) (b)	Impact to Ground water Soil Cleanup Criteria (b)
		(RDCSCC)	(NRDCSCC)	(IGWSCC)
Acenaphthene	83-32-9	3400	10000(c)	100
Acetone (2-propanone)	67-64-1	1000(d)	1000(d)	100
Acrylonitrile	107-13-1	1	5	1
Aldrin	309-00-2	0.040	0.17	50
Anthracene	120-12-7	10000(c)	10000(c)	100
Antimony	7440-36-0	14	340	(h)
Arsenic	7440-38-2	20 (e)	20 (e)	(h)
Barium	7440-39-3	700	47000(n)	(h)
Benzene	71-43-2	3	13	1
Benzo(b)fluoranthene (3,4-Benzofluoranthene)	205-99-2	0.9	4	50
Benzo(a)anthracene (1,2-Benzanthracene)	56-55-3	0.9	4	500
Benzo(a)pyrene (BaP)	50-32-8	0.66(f)	0.66(f)	100
Benzo(k)fluoranthene	207-08-9	0.9	4	500
Benzyl Alcohol	100-51-6	10000(c)	10000(c)	50
Beryllium	7440-41-7	[1(f)] <u>2 (e)</u>	[1(f)] <u>2 (e)</u>	(h)
Bis(2-chloroethyl) ether	111-44-4	0.66(f)	3	10

SOIL CLEANUP CRITERIA (mg/kg)
(LAST REVISED - 5/12/99)

Contaminant	CASRN	(RDCSCC)	(NRDCSCC)	(IGWSCC)
Bis(2-chloroisopropyl)ether	108-60-1	2300	10000(c)	10
Bis(2-ethylhexyl) phthalate	117-81-7	49	210	100
Bromodichloromethane (Dichlorobromomethane)	75-27-4	11	46	1
Bromoform	75-25-2	86	370	1
Bromomethane (Methyl bromide)	74-83-9	79	1000 (d)	1
2-Butanone (Methyl ethyl ketone) (MEK)	78-93-3	1000 (d)	1000 (d)	50
Butylbenzyl phthalate	85-68-7	1100	10000 (c)	100
Cadmium	7440-43-9	[1] 39	100	(h)
Carbon tetrachloride	56-23-5	2 (k)	4 (k)	1
4-Chloroaniline (<i>p</i> -Chloroaniline)	106-47-8	230	4200	(r)
Chlorobenzene	108-90-7	37	680	1
Chloroform	67-66-3	19 (k)	28 (k)	1
4-Chloro-3-methyl phenol (<i>p</i> -Chloro- <i>m</i> -cresol)	59-50-7	10000 (c)	10000 (c)	100
Chloromethane (Methyl chloride)	74-87-3	520	1000 (d)	10
2-Chlorophenol (<i>o</i> -Chlorophenol)	95-57-8	280	5200	10
Chromium – hexavalent (VI)	18540-29-9	<u>240; 270 (g); (i)</u>	<u>6100; 20 (g); (i)</u>	<u>(h)</u>
Chromium – trivalent (III)	16065-83-1	<u>120,000</u>	<u>(j)</u>	<u>(l)</u>
Chrysene	218-01-9	9	40	500
Copper	7440-50-8	600 (m)	600 (m)	(h)
Cyanide	57-12-5	1100	21000 (o)	(h)
4,4'-DDD (<i>p,p'</i> -TDE)	72-54-8	3	12	50
4,4'-DDE (<i>p,p'</i> -DDX)	72-55-9	2	9	50
4,4'-DDT	50-29-3	2	9	500
Dibenz(a,h)anthracene	53-70-3	0.66 (f)	0.66 (f)	100
Dibromochloromethane (Chlorodibromomethane)	124-48-1	110	1000 (d)	1
Di-n-butyl phthalate	84-74-2	5700	10000 (c)	100
Di-n-octyl phthalate	117-84-0	1100	10000 (c)	100
1,2-Dichlorobenzene (<i>o</i> -Dichlorobenzene)	95-50-1	5100	10000 (c)	50
1,3-Dichlorobenzene (<i>m</i> -Dichlorobenzene)	541-73-1	5100	10000 (c)	100

SOIL CLEANUP CRITERIA (mg/kg)
(LAST REVISED - 5/12/99)

Contaminant	CASRN	(RDCSCC)	(NRDCSCC)	(IGWSCC)
1,4-Dichlorobenzene (<i>p</i> -Dichlorobenzene)	106-46-7	570	10000 (c)	100
3,3'-Dichlorobenzidine	91-94-1	2	6	100
1,1-Dichloroethane	75-34-3	570	1000 (d)	10
1,2-Dichloroethane	107-06-2	6	24	1
1,1-Dichloroethene	75-35-4	8	150	10
1,2-Dichloroethene (trans)	156-60-5	1000 (d)	1000 (d)	50
1,2-Dichloroethene (cis)	156-59-2	79	1000 (d)	1
2,4-Dichlorophenol	120-83-2	170	3100	10
1,2-Dichloropropane	78-87-5	10	43	(r)
1,3-Dichloropropene(cis and trans)	542-75-6	4	5 (k)	1
Dieldrin	60-57-1	0.042	0.18	50
Diethyl phthalate	84-66-2	10000 (c)	10000 (c)	50
2,4-Dimethyl phenol	105-67-9	1100	10000 (c)	10
Dimethyl phthalate	131-11-3	10000 (c)	10000 (c)	50
2,4-Dinitrophenol	51-28-5	110	2100	10
Dinitrotoluene(2,4-/2,6-mixture)	25321-14-6	1 (l)	4 (l)	10 (l)
Endosulfan	115-29-7	340	6200	50
Endrin	72-20-8	17	310	50
Ethylbenzene	100-41-4	1000 (d)	1000 (d)	100
Fluoranthene	206-44-0	2300	10000 (c)	100
Fluorene	86-73-7	2300	10000 (c)	100
Heptachlor	76-44-8	0.15	0.65	50
Hexachlorobenzene	118-74-1	0.66 (f)	2	100
Hexachlorobutadiene	87-68-3	1	21	100
Hexachlorocyclopentadiene	77-47-4	400	7300	100
Hexachloroethane	67-72-1	6	100	100
Indeno(1,2,3-cd)pyrene	193-39-5	0.9	4	500
Isophorone	78-59-1	1100	10000 (c)	50
Lead	7439-92-1	400 (p)	600 (q)	(h)

SOIL CLEANUP CRITERIA (mg/kg)
(LAST REVISED - 5/12/99)

Contaminant	CASRN	(RDCSCC)	(NRDCSCC)	(IGWSCC)
Lindane (gamma BHC) (gamma HCH)	58-89-9	0.52	2.2	50
2-Methylphenol (o-creosol)	95-48-7	2800	10000 (c)	(r)
4-Methylphenol (p-creosol)	106-44-5	2800	10000 (c)	(r)
Methoxychlor	72-43-5	280	5200	50
Mercury	7439-97-6	14	270	(h)
4-Methyl-2-pentanone (MIBK)	108-10-1	1000 (d)	1000 (d)	50
Methylene chloride (Dichloromethane)	75-09-2	49	210	1
Naphthalene	91-20-3	230	4200	100
Nickel	7440-02-0	250	2400 (k) (n)	(h)
Nitrobenzene	98-95-3	28	520	10
N-Nitrosodiphenylamine	86-30-6	140	600	100
N-Nitrosodi-n-propylamine	621-64-7	0.66 (f)	0.66 (f)	10
PCBs (Polychlorinated biphenyls)	1336-36-3	0.49	2	50
Pentachlorophenol	87-86-5	6	24	100
Phenol	108-95-2	10000 (c)	10000 (c)	50
Pyrene	129-00-0	1700	10000 (c)	100
Selenium	7782-49-2	63	3100 (n)	(h)
Silver	7440-22-4	110	4100 (n)	(h)
Styrene	100-42-5	23	97	100
1,1,1,2-Tetrachloroethane	630-20-6	170	310	1
1,1,2,2-Tetrachloroethane	79-34-5	34	70 (k)	1
Tetrachloroethene (Tetrachloroethylene) (PCE)	127-18-4	4 (k)	6 (k)	1
Thallium	7440-28-0	2 (f)	2 (f)	(h)
Toluene	108-88-3	1000 (d)	1000 (d)	500
Toxaphene	8001-35-2	0.10 (k)	0.2 (k)	50
1,2,4-Trichlorobenzene	120-82-1	68	1200	100
1,1,1-Trichloroethane	71-55-6	210	1000 (d)	50
1,1,2-Trichloroethane	79-00-5	22	420	1
Trichloroethene (Trichloroethylene) (TCE)	79-01-6	23	54 (k)	1

SOIL CLEANUP CRITERIA (mg/kg)
(LAST REVISED - 5/12/99)

Contaminant	CASRN	(RDCSCC)	(NRDCSCC)	(IGWSCC)
2,4,5-Trichlorophenol	95-95-4	5600	10000 (c)	50
2,4,6-Trichlorophenol	88-06-2	62	270	10
Vanadium	7440-62-2	370	7100 (n)	(h)
Vinyl chloride	75-01-4	2	7	10
Xylenes (Total)	1330-20-7	410	1000 (d)	[10] 67 (s)
Zinc	7440-66-6	1500 (m)	1500 (m)	(h)

Footnotes:

- (a) Criteria are health based using an incidental ingestion exposure pathway except where noted below.
- (b) Criteria are subject to change based on site specific factors (e.g., aquifer classification, soil type, natural background, environmental impacts, etc.).
- (c) Health based criterion exceeds the 10,000 mg/kg maximum for total organic contaminants.
- (d) Health based criterion exceeds the 1000 mg/kg maximum for total volatile organic contaminants.
- (e) Cleanup standard proposal was based on natural background.
- (f) Health based criterion is lower than analytical limits; cleanup criterion based on practical quantitation level.
- (g) Criterion based on the inhalation exposure pathway.
- (h) The impact to ground water values for inorganic constituents will be developed based upon site specific chemical and physical parameters.
- (i) Site specific determination required for SCC for the allergic contact dermatitis exposure pathway.
- (j) Contaminant not regulated for this exposure pathway.
- (k) Criteria based on inhalation exposure pathway, which yielded a more stringent criterion than the incidental ingestion exposure pathway.
- (l) No criterion derived for this contaminant.
- (m) Criterion based on ecological (phytotoxicity) effects.
- (n) Level of the human health based criterion is such that evaluation for potential environmental impacts on a site by site basis is recommended.
- (o) Level of the criterion is such that evaluation for potential acute exposure hazard is recommended.
- (p) Criterion based on the USEPA Integrated Exposure Uptake Biokinetic (IEUBK) model utilizing the default parameters. The concentration is considered to protect 95% of target population (children) at a blood lead level of 10 ug/dl.
- (q) Criteria were derived from a model developed by the Society for Environmental Geochemistry and Health (SEGH) and were designed to be protective for adults in the workplace.
- (r) Insufficient information available to calculate impact to ground water criteria.
- (s) Criterion based on new drinking water standard.